Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 18, September 5, 2013

For the Period August 27 to September 2, 2013

Another week of warm temperatures has allowed Saskatchewan producers to continue harvesting. Province-wide, 14 per cent of the 2013 crop has been combined, while 28 per cent has been swathed or is ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year average (2008-2012) for this time of year is 19 per cent combined and 27 per cent swathed or ready to straight-cut.

Harvest is most advanced in the southwestern region, where 30 per cent of the crop is combined. Fifteen per cent is combined in the southeast; six per cent in the east-central region; 14 per cent in the west-central region; two per cent in the northeast, and four per cent in the northwest. Warm weather over the past few weeks has helped speed crop development.

Across the province, 63 per cent of the peas, 49 per cent of the lentils, 66 per cent of the winter wheat, five per cent of the spring wheat and eight per cent of the canola have been combined. Fifty per cent of the canola has been swathed. Of the crops that have been harvested, above-average yields are being reported for most areas.

One year ago
Thirty-eight per cent of the 2012 crop had been combined while 33 per cent was swathed or ready to straight combine.
Follow the 2013 Crop Report on Twitter @SKGovAg

Harvest Progress in SK Per cent combined All Crops	
Sept 2/13	14
5 year avg. (2008-2012)	19
Sept 3/12	38
Aug 30/11	21
Aug 31/10	8
Sept 1/09	8
Aug 31/08	20

Saskatchewan Harvest September 2, 2013	
% combined	
Winter wheat	66
Fall rye*	89
Spring wheat	5
Durum	7
Barley	9
Canola	8
Mustard	28
Lentils	49
Peas	63
Chickpeas	6
*includes five per cent 'other'	

Rain recorded in the province last week ranged from nil to 61 mm. Grasshoppers and Bertha armyworms caused the majority of the reported crop damage.

Pasture conditions across the province are rated as three per cent excellent, 51 per cent good, 31 per cent fair, 13 per cent poor and two per cent very poor. Ninety-eight per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Across the province, topsoil moisture on cropland is rated as 60 per cent adequate, 33 per cent short and seven per cent very short. Hay land and pasture topsoil moisture is rated as 51 per cent adequate, 41 per cent short and eight per cent very short. Some areas in the western and central regions are very dry, which is affecting crop filling and pasture productivity.

Farmers are busy with desiccating, swathing and combining.

For further information, contact: Daphne Cruise, PAg,
Regional Crop Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

The region has 15 per cent of the 2013 crop combined and 25 per cent swathed or ready to straight-cut. The warm weather over the past several weeks has helped speed crop development. Crop districts 2A and 3ASE recorded very little rain. Rain in the rest of the region ranged from nil to 32 mm (Broadview area).

Topsoil moisture conditions on cropland are rated as one per cent surplus, 72 per cent adequate, 23 per cent short and four per cent very short. Hay land and pasture moisture is rated as 65 per cent adequate, 31 per cent short and four per cent very short. Crop District 3ASE is reporting 51 and 47 per cent short of cropland and hay and pasture land topsoil moisture, respectively. Pasture conditions across the region are rated as two per cent excellent, 50 per cent good, 36 per cent fair and 12 per cent poor. Ninety-eight per cent of livestock producers have indicated that they have adequate supplies of water for their animals.

Very little crop damage was reported this past week, with grasshoppers causing the majority. In some areas, the lack of rain over the past few weeks has caused some moisture stress on the later-seeded crops and in pastures. Yields are looking to be above-average; however, crop yield will vary depending on seeding date and weather conditions throughout the growing season. Producers are busy with harvest operations and seeding fall crops.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Thirty per cent of the 2013 crop is combined, and 26 per cent is swathed or ready to straight-cut. The majority of peas has been combined. Combining of spring cereals has started and combines are rolling along on canola. Some flax crops are being desiccated. Most crop reporters are estimating yields to be above-average this year. Rain recorded in the region ranged from nil to 61 mm (Eyebrow area).

Cropland topsoil moisture is rated as 55 per cent adequate, 34 per cent sho.: and 11 per cent very short. Hay land and pasture topsoil moisture is rated as 50 per cent adequate, 44 per cent short and six per cent very short. In Crop District 4B, 67 per cent of hay land and cropland is very short of topsoil moisture. Crop reporters are indicating very dry soil conditions; some rain is needed to settle the dust and relieve the moisture stress on some pastures. Pasture conditions across the region are rated as six per cent excellent, 53 per cent good, 29 per cent fair, nine per cent poor and three per cent very poor. Ninety-eight per cent of livestock producers have indicated that they have adequate supplies of water for their animals.

Very little crop damage was reported this past week. Crop reporters are indicating a large grasshopper population but damage to crops is minimal. Some producers are seeding winter wheat, and moisture will be needed to help with germination. Farmers are busy with harvest operations.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Harvest operations continue in the region with six per cent of the crop combined and 34 per cent swathed or ready to straight-cut. Canola swathing is general in the region and some producers have started combining wheat. About 10 days of frost-free weather will be needed to get the majority of the crop into maturity. Most areas in the region reported rain over the week, which caused some delays in harvest operations. Recorded rainfall in the region ranged from nil to 60 mm (Craik area).

Cropland topsoil moisture is rated as one per cent surplus, 57 per cent adequate, 38 per cent short and four per cent very short. Hay land and pasture topsoil moisture is rated as 48 per cent adequate, 45 per cent short and seven per cent very short. In Crop District 6A, 18 per cent of cropland is very short of topsoil moisture. Pasture conditions across the region are rated as 42 per cent good, 37 per cent fair and 21 per cent poor. Ninety-seven per cent of livestock producers have indicated that they have adequate supplies of water for their animals.

The majority of crop damage this week is due Bertha armyworm. Hail damage was reported in the Wynyard, Rose Valley, Holdfast and Craik areas. Some producers, particularly those in Crop District 5B, are finding populations of Bertha armyworm large enough to warrant control. Crop reporters are indicating Bertha armyworm thresholds vary greatly within a small area. Farmers are busy with harvest operations.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Fourteen per cent of the crop has been combined, and 35 per cent is swathed or is ready to straight-cut. Most areas reported rain showers during the week ranging from nil to 21 mm (Kindersley area). Of the crops that have been harvested, crop reporters are indicating yields are above-average for most areas of the region. Soil conditions are very dry in the region as most areas have not had a significant amount of rain for a month or more.

Topsoil moisture conditions are rated as 43 per cent adequate, 47 per cent short and 10 per cent very short on cropland. Hay land and pasture topsoil moisture conditions are rated as 33 per cent adequate, 49 per cent short and 18 per cent very short. All crop districts in the region are reporting almost half of the cropland and hay land to be short

of topsoil moisture. Pasture conditions across the region are rated as two per cent excellent, 44 per cent good, 30 per cent fair, 23 per cent poor and one per cent very poor. Ninety-seven per cent of livestock producers have indicated that they have adequate supplies of water for their animals.

Grassshopper populations are high, but very little damage was reported as most crops are into the maturity stages. Dry conditions are causing the majority of crop stress. High winds in crop districts 7A and 7B caused some canola swaths to blow around. Producers are busy with harvest operations.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Combining has just nicely started in the region, with two per cent of the crop combined. Twenty-two per cent is swathed or ready to straight-cut. Crop reporters are indicating swathing will be general next week. Rain in the region ranged from nil to 25 mm (Nipawin area). Warm weather will be needed well into September to get the majority of the crop off the field in good condition.

Topsoil moisture on cropland is rated as 81 per cent adequate and 19 per cent short. Topsoil moisture on hay land and pasture is reported 78 per cent adequate and 22 per cent short. Pasture conditions across the region are rated as five per cent excellent, 83 per cent good and 12 per cent fair. All livestock producers have indicated that they have adequate supplies of water for their animals.

Very little crop damage was reported in the region. Golf-ball-sized hail caused crop damage in the Nipawin area. Bertha armyworms are still causing crop damage in some areas. High winds and significant rain in the Garrick area resulted in bin and tree damage. Producers are busy with harvest operations.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Harvest operations are underway as four per cent of the crop is combined and 27 per cent swathed or ready to straight-cut. Rain was reported for the region, ranging from nil to 56 mm (Dorintosh area). Warm weather will be needed well into September to get the majority of the crop off the field in good condition.

Topsoil moisture on cropland is rated as 52 per cent adequate, 33 per cent short and 15 per cent very short. Topsoil moisture on hay land and pasture is reported as 40 per cent adequate, 44 per cent short and 16 per cent very short. Pasture conditions across the region are rated as 28 per cent good, 45 per cent fair, 18 per cent poor and nine per cent very poor. All livestock producers have indicated that they have adequate supplies of water for their animals.

The majority of crop damage this week is attributed to grasshoppers, although the majority of the crop is in the maturing stages so damage is minimal. Hail damage was reported in the Duck Lake and Turtleford areas. Producers are busy with harvest operations.

Saskatchewan Harvest Progress September 2, 2013

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
southeast	77	11	7	5
southwest	58	3	26	13
east central	72	17	8	3
west central	66	11	19	4
northeast	78	11	9	2
northwest	81	8	8	3

Durum	% Standing	% in swath	% ready to straight combine	% combined
southeast	85	3	8	4
southwest	65	2	22	11
east central	80	15	5	0
west central	91	7	1	1
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	85	12	0	2	1
southwest	58	8	13	9	12
east central	86	11	2	1	0
west central	79	7	5	3	6
northeast	95	4	0	1	0
northwest	96	1	0	0	3

Barley	% Standing	% in swath	% ready to straight combine	% combined
southeast	76	8	4	12
southwest	53	5	19	23
east central	70	17	7	6
west central	69	13	10	8
northeast	79	15	3	3
northwest	89	6	4	1

Lentils	% Standing	% in swath	% ready to straight combine	% combined
southeast	36	7	10	47
southwest	20	4	19	57
east central	53	6	21	20
west central	31	3	24	42
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Peas	% Standing	% in swath	% ready to straight combine	% combined
southeast	22	8	9	61
southwest	7	0	12	81
east central	17	15	18	50
west central	18	2	23	57
northeast	44	11	25	20
northwest	31	3	34	32

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
southeast	N/A	N/A	N/A	N/A
southwest	92	0	2	6
east central	N/A	N/A	N/A	N/A
west central	N/A	N/A	N/A	N/A
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
southeast	36	47	2	15
southwest	13	49	8	30
east central	45	53	0	2
west central	24	63	3	10
northeast	69	30	0	1
northwest	52	46	0	2

Mustard	% Standing	% in swath	% ready to straight combine	% combined
southeast	90	6	0	4
southwest	34	8	10	48
east central	54	41	5	0
west central	76	20	0	4
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 2, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 4, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period August 27 to September 2, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	286
	3	Enniskillen	10	401
	33	Moose Creek	N/A	241
	34	Browning	N/A	266
	61	Antler	N/A	502
	63	Moose Mountain	4	392
	64	Brook	2	244
	65	Tecumseh	N/A	361
1B	91	Maryfield	3	271
	92	Walpole	N/A	80
	122	Martin	10	377
	123	Silverwood	20	302
	124	Kingsley	32	207
	125 A	Chester	6	256
	125 B	Chester	NIL	235
	151 A	Rocanville	1	259
	151 B	Rocanville	5	233
	153	Willowdale	N/A	N/A
	154	Elcapo	N/A	262
	155 A	Wolseley	N/A	253
	155 B	Wolseley	N/A	215
2A	67	Weyburn	NIL	301
	68	Brokenshell	NIL	330
	97	Wellington	NIL	204
	99	Caledonia	N/A	N/A
2B	127 A	Francis	1	274
	127 B	Francis	5	221
	129	Bratt's Lake	NIL	230
	131 A	Baildon	1	335
	131 B	Baildon	N/A	332
	156 A	Indian Head	3	257
	156 B	Indian Head	5	364
	160 A	Pense	NIL	298
	160 B	Pense	N/A	245
	161	Moose Jaw	8	324
	162	Caron	3	281
	191	Marquis	N/A	162
3ASE	38 A	Laurier	NIL	356
	38 B	Laurier	NIL	267
	39 A	The Gap	NIL	345
	39 B	The Gap	NIL	304
3ASW	10	Happy Valley	NIL	221
	11	Hart Butte	N/A	205
	12	Poplar Valley	NIL	301
	40 A	Bengough	5	318
	40 B	Bengough	N/A	504
	42	Willow Bunch	3	292
	43 A	Old Post	NIL	324
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84
	71	Excel	N/A	208
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	135
	73 A	Stonehenge	NIL	334
	73 B	Stonehenge	NIL	279
	74 A	Wood River	NIL	307
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	NIL	224
	102	Lake Johnston	N/A	179
	103 A	Sutton	NIL	248
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	1	270
	132 B	Hillsborough	1	294
	134	Shamrock	N/A	284
	164 A	Chaplin	12.5	217
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	37	246
	193 B	Eyebrow	61	290
	194	Enfield	N/A	N/A
	224	Maple Bush	N/A	199
3BS	17 A	Val Marie	5	364
	17 B	Val Marie	N/A	N/A
	45	Mankota	N/A	375
	75 A	Pinto Creek	N/A	253
	75 B	Pinto Creek	N/A	267
	76	Auvergne	4	237
	77	Wise Creek	N/A	316
	78 A	Grassy Creek	6	357
	78 B	Grassy Creek	NIL	291
	105	Glenbain	NIL	251
	106	Whiska Creek	2	224
	107 A	Lac Pelletier	N/A	226
	107 B	Lac Pelletier	N/A	44
	108	Bone Creek	N/A	331

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
3BN	136 A	Webb	NIL	269
	136 B	Webb	1.3	233
	166 A	Excelsior	8	266
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	4.6	240
	168 A	Riverside	NIL	222
	168 B	Riverside	N/A	283
	226 A	Victory	3	171
	226 B	Victory	N/A	30
	228	Lacadena	NIL	212
	255	Coteau	10	155
	257	Monet	N/A	266
4A	19	Frontier	N/A	N/A
	49	White Valley	9.5	283
	51 A	Reno	2	256
	51 B	Reno	N/A	N/A
	79	Arlington	8	384
	109	Carmichael	N/A	261
	110	Piapot	NIL	230
	111	Maple Creek	N/A	268
4B	139	Gull Lake	5	226
	141	Big Stick	3	211
	142	Enterprise	N/A	232
	169	Pittville	N/A	231
	231	Happyland	NIL	164
5A	183 A	Fertile Belt	NIL	356
	183 B	Fertile Belt	6	287
	186	Abernethy	N/A	177
	211	Churchbridge	NIL	282
	213	Saltcoats	3	295
	214	Cana	N/A	25
	216	Tullymet	12	194
	217 A	Lipton	N/A	N/A
	241	Calder	4	283
	243	Wallace	N/A	283
	245 A	Garry	N/A	261
	245 B	Garry	12	234
	245 C	Garry	N/A	211
	246	Ituna Bon Accord	12	216
	247	Kellross	10	234
	248	Touchwood	13	188
5B	271	Cote	9	314
	273	Sliding Hills	N/A	200
	277	Emerald	9	244
	305	Invermay	7	324
	307	Elfros	12	246
	308 A	Big Quill	13	200
	308 B	Big Quill	3	245
	331	Livingston	1	311
	333	Clayton	N/A	39
	334	Preeceville	21	218
	336	Sasman	7	183
	337 A	Lakeview	N/A	253
	337 B	Lakeview	N/A	22
	338	Lakeside	10	240
	366	Kelvington	10	221
	367	Ponass Lake	NIL	225
6A	190 A	Dufferin	15	252
	190 B	Dufferin	17	212
	190 C	Dufferin	4	217
	190 D	Dufferin	N/A	42
	190 E	Dufferin	4	88
	219	Longlaketon	15	241
	220	Mckillop	16	297
	221	Sarnia	35	283
	222	Craik	60	346
	251	Big Arm	26	295
	252	Arm River	19	312
	279	Mount Hope	N/A	213
	282	McCraney	5	244
	309	Prairie Rose	N/A	256
	310	Usborne	N/A	N/A
	313	Lost River	N/A	239
	339	Leroy	4.2	269
	340	Wolverine	NIL	296
	341	Viscount	2	288
	343 A	Blucher	NIL	255
	343 B	Blucher	N/A	105
6B	283	Rosedale	N/A	214
	284	Rudy	N/A	213
	285	Fertile Valley	5	196
	286	Milden	15	214
	314	Dundurn	10	231
	344	Corman Park	NIL	149
	346	Perdue	4	217
	376 A	Eagle Creek	N/A	149
	376 B	Eagle Creek	NIL	187
	403 A	Rosthern	N/A	191
	403 B	Rosthern	NIL	230

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	259	Snipe Lake	N/A	184
	260 A	Newcombe	N/A	105
	260 B	Newcombe	N/A	169
	261	Chesterfield	N/A	56
	287	St. Andrews	1	224
	288	Pleasant Valley	2	220
	290 A	Kindersley	2	188
	290 B	Kindersley	16	104
	290 C	Kindersley	N/A	207
	292	Milton	N/A	258
	317 A	Marriott	20	175
	317 B	Marriott	2	189
	317 C	Marriott	N/A	N/A
	318	Mountain View	2	259
	320 A	Oakdale	6	212
	320 B	Oakdale	21	204
	321	Prairiedale	8	163
7B	347 A	Biggar	NIL	183
	347 B	Biggar	N/A	246
	350 A	Mariposa	1.5	135
	350 B	Mariposa	2	235
	351	Progress	7.5	215
	352	Heart's Hill	10	310
	377	Glenside	NIL	194
	378 A	Rosemount	NIL	166
	378 B	Rosemount	1	219
	379	Reford	NIL	186
	381	Grass Lake	N/A	188
	382	Eye Hill	2.5	197
	409 A	Buffalo	2	250
	409 B	Buffalo	N/A	N/A
	410	Round Valley	NIL	164
	411	Senlac	N/A	N/A
8A	395	Porcupine	N/A	194
	397	Barrier Valley	3.5	203
	428	Star City	N/A	286
	456	Arborfield	4	252
	457	Connaught	2	284
	458	Willow Creek	11	221
	486	Moose Range	N/A	247
	487 A	Nipawin	25	239
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	NIL	209
	370	Humboldt	NIL	220
	371	Bayne	N/A	293
	372	Grant	N/A	346
	400 A	Three Lakes	N/A	3
	400 B	Three Lakes	NIL	291
	402	Fish Creek	NIL	263
	429	Flett's Springs	NIL	296
	431	St. Louis	N/A	N/A
	459	Kinistino	NIL	301
	460	Birch Hills	10	247
9AE	461	Prince Albert	N/A	22
	488	Torch River	12	313
	491	Buckland	N/A	314
9AW	406	Mayfield	NIL	197
	435	Redberry	1	213
	436	Douglas	NIL	202
	463	Duck Lake	NIL	272
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	NIL	309
	467 B	Round Hill	NIL	217
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	131
	497	Medstead	N/A	263
9B	438	Battle River	NIL	264
	440	Hillsdale	N/A	241
	442	Manitou Lake	6.9	315
	498 A	Parkdale	NIL	199
	498 B	Parkdale	N/A	195
	499 A	Mervin	NIL	304
	499 B	Mervin	N/A	24
	501 A	Frenchman Butte	N/A	304
	501 B	Frenchman Butte	6	260
	501 C	Frenchman Butte	N/A	232
	502 A	Britannia	N/A	N/A
	502 B	Britannia	2.5	210
	561	Loon Lake	6	212
	588 A	Meadow Lake	32	254
	588 B	Meadow Lake	N/A	309
	588 C	Meadow Lake	13	350
	588 D	Meadow Lake	56	293
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	11	239

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: September 2, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 4, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 3, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 4, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 3, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 4, 2013

© 2013 Government of Saskatchewan